


XEXAGON

beyond automation...





Product specification

Screen Size	10.4	12.1	15	17	19
Resolution	1024*768			1280*1024	
Viewing Angle	89/89/89/89	89/89/89/89	89/89/89/89	85/85/80/80	85/85/80/80
Brightness	500 cd/m²	500 cd/m²	350 cd/m²	250 cd/m²	250 cd/m²
Contrast Ratio	900:1	1200:1	1000:1	1000:1	1000:1
Touch Screen	Capacitive/Resistive				
Controller	USB interface				
Durability	Capacitive:≥Five million times / Resistive:≥100,000 times				
Processor	Intel® Processors				
Memory	Under 5th Gen: DDR3,4G/8G Above 6th Gen: DDR4,4G/8G/16G				
Storage	Under 5th Gen: 1*mSATA/1*SATA (2.5" Mechanical hard drive capacity ≤ 2TB) Above 6th Gen: 1*M.2/1*SATA (2.5" Mechanical hard drive capacity ≤ 2TB)				
Network	1*RTL8111			2*RTL8111	
COM	2*RS232,(COM2 optional RS485)			2*RS232,(COM2 optional RS485) expand to 6*COM	
USB	Front 1*USB Rear 4*USB				
Display	1*HDMI,1*VGA				
Expand Slot	Under 5th Gen:1*Mini PCIE Wifi&BTor4G LTE			Above 6th Gen:1*M.2(KEY E Wifi&BT 2230)/1*M.2(KEY B 4G/5G LTE 3052)	
Operating System	Windows/Linux				
Dimensions	309*244.7*58mm	310*273.1*58mm	366*310*62.4mm	397.8*354*62.4mm	439*386.5*64mm
Embedded Hole Sizes(mm)	301*237mm	301*256mm	352*298mm	384*343mm	426*374mm
Weight	~3.54kg	~3.52kg	~4.68kg	~6kg	~7kg
Mounting Options	Embedded / Wall-mounted / Desktop				
Operating Temperature	-10~60℃	-10~60℃	-10~60℃	-10~60℃	-10~60℃
Storage Temperature	-20~60℃	-20~70℃	-20~70℃	-20~60℃	-20~60℃
Storage Humidity	5-95%	5-95%	5-95%	5-95%	5-95%
Power Input	DC-12V (Optional 9 ~ 36V)				



Product specification

Screen Size	15.6	17.3	18.5	21.5
Resolution	1920*1080			
Viewing Angle	89/89/89/89	80/80/60/80	89/89/89/89	89/89/89/89
Brightness	250 cd/m²	400 cd/m²	250 cd/m²	250 cd/m²
Contrast Ratio	3000:1	600:1	1000:1	1000:1
Touch Screen	Capacitive/Resistive			
Controller	USB interface			
Durability	Capacitive:≥Five million times / Resistive:≥100,000 times			
Processor	Intel® Processors			
Memory	Under 5th Gen: DDR3,4G/8G		Above 6th Gen: DDR4,4G/8G/16G	
Storage	Under 5th Gen: 1*mSATA/1*SATA (2.5" Mechanical hard drive capacity ≤ 2TB) Above 6th Gen: 1*M.2/1*SATA (2.5" Mechanical hard drive capacity ≤ 2TB)			
Network	1*RTL8111		2*RTL8111	
COM	2*RS232,(COM2 optional RS485)		2*RS232,(COM2 optional RS485) expand to 6*COM	
USB	Front 1*USB Rear 4*USB			
Display	1*HDMI,1*VGA			
Expand Slot	Under 5th Gen:1*Mini PCIE Wifi&BTor4G LTE		Above 6th Gen:1*M.2(KEY E Wifi&BT 2230)/1*M.2(KEY B 4G/5G LTE 3052)	
Operating System	Windows/Linux			
Dimensions	402.7*269.7*61.8mm	446.2*296.2*64.5mm	476.4*339.3*61.7mm	550*365.7*63.8mm
Embedded Hole Sizes(mm)	389*258mm	432*285mm	464*327mm	533*347mm
Weight	~4.84kg	~5.68kg	~6.54kg	~8.08kg
Mounting Options	Embedded / Wall-mounted / Desktop			
Operating Temperature	-10~60℃	-10~60℃	-10~60℃	-10~60℃
Storage Temperature	-10~60℃	-20~70℃	-20~60℃	-20~60℃
Storage Humidity	5-95%	5-95%	5-95%	5-95%
Power Input	DC-12V (Optional 9 ~ 36V)			



Product specification

Screen Size	10.4	12.1	15	17	19
Resolution	1024*768		1280*1024		
Viewing Angle	89/89/89/89	89/89/89/89	89/89/89/89	85/85/80/80	85/85/85/80
Brightness	500 cd/m²	500 cd/m²	350 cd/m²	250 cd/m²	250 cd/m²
Contrast Ratio	900:1	1200:1	1000:1	1000:1	1000:1
Touch Screen	Capacitive/Resistive				
Controller	USB interface				
Durability	Capacitive:≥Five million times / Resistive:≥100,000 times				
Chipset	D81 (LGA1150)	H310 (LGA1151)		H610 (LGA1700)	
Memory	2*DDR3 4G/8G/16G		2*DDR4 4G/8G/16G/32G		
Storage	1*mSATA,1*SATA		1*M.2 Slot, support M.2 2260/2280		
Network	1*RTL8111		2*RTL8111		
COM	2*RS232,(COM2 optional RS485)				
USB	Front 1*USB2.0 Rear 2*USB3.0/2*USB2.0				
Display	1*HDMI,1*VGA				
Expand Slot	1*Mini PCIE Wifi&BT or 4G LTE		1* Mini-PCIE WIFI		1*Mini PCIE Wifi&BT or 4G LTE
Operating System	Windows/Linux				
Dimensions	309*245.4*66.7mm	310*273.1*66.8mm	366*310*71.2mm	397.8*354*71.4mm	439*386.5*72.6mm
Embedded Hole Sizes(mm)	301*237mm	301*256mm	352*298mm	384*343mm	426*374mm
Weight	~3.54kg	~3.52kg	~4.68kg	~6kg	~7kg
Mounting Options	Embedded / Wall-mounted / Desktop				
Operating Temperature	-10~60℃	-10~60℃	-10~60℃	-10~60℃	-10~60℃
Storage Temperature	-20~60℃	-20~70℃	-20~70℃	-20~60℃	-20~60℃
Storage Humidity	5-95%	5-95%	5-95%	5-95%	5-95%
Power Input	DC-12V/19V				



Product specification

Screen Size	15.6	17.3	18.5	21.5
Resolution	1920*1080			
Viewing Angle	89/89/89/89	80/80/60/80	89/89/89/89	89/89/89/89
Brightness	250 cd/m²	400 cd/m²	250 cd/m²	250 cd/m²
Contrast Ratio	3000:1	600:1	1000:1	1000:1
Touch Screen	Capacitive/Resistive			
Controller	USB interface			
Durability	Capacitive:≥Five million times / Resistive:≥100,000 times			
Chipset	D81 (LGA1150)	H310 (LGA1151)	H610 (LGA1700)	
Memory	2*DDR3 4G/8G/16G	2*DDR4 4G/8G/16G/32G		
Storage	1*mSATA,1*SATA	1 *M.2 Slot, support M.2 2260/2280		
Network	1*RTL8111	2*RTL8111		
COM	2*RS232,(COM2 optional RS485)			
USB	Front 1*USB2.0 Rear 2*USB3.0/2*USB2.0			
Display	1*HDMI,1*VGA			
Expand Slot	1*Mini PCIE Wifi&BT or 4G LTE	1* Mini-PCIE WIFI	1*Mini PCIE Wifi&BT or 4G LTE	
Operating System	Windows/Linux			
Dimensions	402.7*269.7*70.4mm	446.2*296.2*73.1mm	476.4*339.3*70.3mm	550*365.7*72.4mm
Embedded Hole Sizes(mm)	389*258mm	432.*285mm	464*327mm	533*347mm
Weight	~4.84kg	~5.68kg	~6.54kg	~8.08kg
Mounting Options	Embedded / Wall-mounted / Desktop			
Operating Temperature	-10~60℃	-10~60℃	-10~60℃	-10~60℃
Storage Temperature	-10~60℃	-20~70℃	-20~60℃	-20~60℃
Storage Humidity	5-95%	5-95%	5-95%	5-95%
Power Input	DC-12V/19V			

Configuration Listing 1

CPU (optional)	CPU	OS
	Intel® Core™ 3th Gen I3-3110M/3120M/3217U/3227U Processor Intel® Core™ 3th Gen I5-3210M/3320M/3317U/3337U Processor	Windows XP/7/8.1/10 Linux
	Intel® Core™ 4th Gen I3-4005U/4030U Processor Intel® Core™ 4th Gen I5-4200U/4300U Processor	Windows 7/8.1/10 Linux
	Intel® Core™ 5th Gen I3-5005U/5015U/5100U Processor Intel® Core™ 5th Gen I5-5200U/5250U/5300U Processor Intel® Core™ 5th Gen I7-5500U/5600U Processor	Windows 7/8.1/10 Linux
	Intel® Core™ 6th Gen I3-6006U/6157U Processor Intel® Core™ 6th Gen I5-6200U/6300U/6360UProcessor	Windows 7/8.1/10/11 Linux
	Intel® Core™ 7th Gen I3-7100U/7167U Processor Intel® Core™ 7th Gen I5-7200U/7300U Processor	Windows 10/11 Linux
	Intel® Core™ 8th Gen I3-8145U Processor Intel® Core™ 8th Gen I5-8265U/8365U Processor Intel® Core™ 8th Gen I7-8565U/8665U Processor	Windows 10/11 Linux
	Intel® Core™ 10th Gen I3-10110U Processor Intel® Core™ 10th Gen I5-10210U/10310U Processor	Windows 10/11 Linux
	Intel® Celeron® J1800/J1900/N2840 Processor Intel® Celeron® J4125/N4000/N100 Processor	Windows 7/8.1/10 Linux Windows 10/11 Linux

Configuration Listing 2 (Localization)

CPU	Phytium D2000 / Phytium FT-2000/4	Zhaoxin KX6000
Memory	DDR4L,4G/8G/16G/32G	DDR4L,4G/8G/16G
Storage	1*MSATA+1*M.2 2280 PCIE SSD	1*MSATA
USB	4*USB	4*USB
Network	2*LAN	2*LAN
COM	2*RS232,(COM2/3 optional RS485) expand to 5*COM	2*RS232,(COM1 optional RS485) expand to 6*COM
Expand Slot	1*M.2 2230 WIFI	1*MPCI-E WIFI
Operating System	UOS/Kylinos	Windows10/Linux

Configuration Listing 3

(IPRO/OPC High-performance)

Notebook Series	CPU		OS	
	Intel® Core™ 4th Gen I7-4770HQ Processor		Windows 7/8.1/10, Linux	
	Intel® Core™ 6th Gen I7-6700HQ Processor		Windows 7/8.1/10, Linux	
	Intel® Core™ 7th Gen I5-7300HQ Processor Intel® Core™ 7th Gen I7-7700HQ Processor		Windows 10/11, Linux	
	Intel® Core™ 10th Gen I7-10750HQ/10875HQ Processor		Windows 7/8.1/10, Linux	
	Intel® Core™ 11th Gen I3-1115G4 Processor Intel® Core™ 11th Gen I5-1145G7 Processor Intel® Core™ 11th Gen I7-1165G7 Processor		Windows 10/11 Linux	
	Intel® Core™ 12th Gen I3-1215U Processor Intel® Core™ 12th Gen I5-1245U Processor Intel® Core™ 12th Gen I7-1255U Processor		Windows 10/11 Linux	
Multi Network Series	CPU	Storage	Network	COM
	Intel® Core™ 5th Gen I3/I5/I7 Processor	DDR3L, 4G/8G	4*Intel I211	2*RS232, (COM2 optional RS485)
	Intel® Core™ 5th Gen I3/I5/I7 Processor	DDR3L, 4G/8G	4*RTL8111	
	Intel® Core™ 7th/8th/10th Gen I3/I5/I7 Processor (optional POE)	DDR4L, 4G/8G/16G	4*Intel I225	

Configuration Listing 4 (GFACEH)

	CPU	OS
D81	Intel® Core™ 4th Gen I3-4160T Processor	Windows 7/8.1/10
	Intel® Core™ 4th Gen I5-4590T Processor	Linux
	Intel® Core™ 4th Gen I7-4790T Processor	
H310	Intel® Core™ 6th Gen I3-6100 Processor	Windows 7/8.1/10
	Intel® Core™ 6th Gen I5-6500 Processor	Linux
	Intel® Core™ 6th Gen I7-6700 Processor	
	Intel® Core™ 7th Gen I3-7100 Processor	Windows /10/11
	Intel® Core™ 7th Gen I5-7400 Processor	Linux
	Intel® Core™ 7th Gen I7-7700 Processor	
	Intel® Core™ 8th Gen I3-8100 Processor	Windows /10/11
	Intel® Core™ 8th Gen I5-8400 Processor	Linux
	Intel® Core™ 8th Gen I7-8700 Processor	
H610	Intel® Core™ 9th Gen I3-9100 Processor	Windows 10/11
	Intel® Core™ 9th Gen I5-9400 Processor	Linux
	Intel® Core™ 12th Gen I3-12100 Processor	
	Intel® Core™ 12th Gen I5-12400 Processor	
	Intel® Core™ 12th Gen I7-12700 Processor	
	Intel® Core™ 12th Gen I3-13100 Processor	
	Intel® Core™ 12th Gen I5-13400 Processor	
	Intel® Core™ 12th Gen I7-13700 Processor	Windows /10/11
	Intel® Core™ 12th Gen I3-14100 Processor	Linux
	Intel® Core™ 12th Gen I5-14400 Processor	
	Intel® Core™ 12th Gen I7-14700K Processor	


Configuration Listing 5 (IPRO-SE)

CPU (optional)	CPU	OS
	Intel® Core™ 3th Gen I3-3217U/3227U Processor Intel® Core™ 3th Gen I5-3317U/3337U Processor	
	Intel® Core™ 4th Gen I3-4005U/4030U Processor Intel® Core™ 4th Gen I5-4200U/4300U Processor	
	Intel® Core™ 5th Gen I3-5005U/5010U/5015U Processor Intel® Core™ 5th Gen I5-5200U/5250U/5300U Processor	
	Intel® Core™ 6th Gen I3-6006U/6157U Processor Intel® Core™ 6th Gen I5-6200U/6300U/6360U Processor Intel® Core™ 6th Gen I7-6500U Processor	
	Intel® Core™ 7th Gen I3-7020U/7100U Processor Intel® Core™ 7th Gen I5-7200U/7300U Processor	Windows/Linux
	Intel® Core™ 8th Gen I3-8145U Processor Intel® Core™ 8th Gen I5-8265U/8365U Processor Intel® Core™ 8th Gen I7-8565U/8665U Processor	
	Intel® Core™ 10th Gen I3-10110U Processor Intel® Core™ 10th Gen I5-10210U/10310U Processor Intel® Core™ 10th Gen I7-10610U Processor	
	Intel® Celeron® J4125/J6412 Processor	


All specifications are subject to change without notice.
For more information and please contact our sales team.

Dimensions


IPC 10.4"




IPC 12.1"




IPC 15"



IPC 17"




IPC 19"




Dimensions


IPC 15.6"




IPC 17.3"



IPC 18.5"




IPC 21.5"




Dimensions


IPC 10.4"




IPC 12.1"




IPC 15"



IPC 17"




IPC 19"




Dimensions


IPC 15.6"



IPC 17.3"



IPC 18.5"



IPC 21.5"

